



Guidelines for the Use of Antiretroviral Agents in Adults and Adolescents with HIV

Downloaded from <https://aidsinfo.nih.gov/guidelines> on 8/31/2020

Visit the *AIDSinfo* website to access the most up-to-date guideline.

Register for e-mail notification of guideline updates at <https://aidsinfo.nih.gov/e-news>.

Appendix A: Key to Acronyms (Last updated July 10, 2019; last reviewed July 10, 2019)

Drug Name Abbreviations

Abbreviation	Full Name
3TC	lamivudine
ABC	abacavir
APV	amprenavir
ATV	atazanavir
BIC	bictegravir
COBI or c	cobicistat
d4T	stavudine
ddI	didanosine
DLV	delavirdine
DOR	doravirine
DRV	darunavir
DTG	dolutegravir
EFV	efavirenz
ETR	etravirine
EVG	elvitegravir
FPV	fosamprenavir
FTC	emtricitabine
IBA	ibalizumab
IDV	indinavir
LPV	lopinavir
MVC	maraviroc
NFV	nelfinavir
NVP	nevirapine
RAL	raltegravir
RPV	rilpivirine
RTV or r	ritonavir
SQV	saquinavir
T-20	enfuvirtide
TAF	tenofovir alafenamide
TDF	tenofovir disoproxil fumarate
TPV	tipranavir
ZDV	zidovudine

General Terms

Abbreviation	Definition
17-BMP	beclomethasone 17-monopropionate
ADAP	AIDS drug assistance program

Ag/Ab	antigen/antibody
Al	aluminum
ALT	alanine aminotransferase
aOR	adjusted odds ratio
ART	antiretroviral therapy
ARV	antiretroviral
AST	aspartate aminotransferase
AUC	area under the curve
AUD	alcohol use disorder
AV	atrioventricular
AWP	average wholesale price
BID	twice daily
BMD	bone mineral density
BUN	blood urea nitrogen
Ca	calcium
CaCO ₃	calcium carbonate
CAPD	chronic ambulatory peritoneal dialysis
CBC	complete blood count
CCB	calcium channel blockers
CD4	CD4 T lymphocyte
CDC	Centers for Disease Control and Prevention
CI	confidence interval
CKD	chronic kidney disease
Cl	chloride
C _{max}	maximum plasma concentration
C _{min}	minimum plasma concentration
CNS	central nervous system
CPK	creatine phosphokinase
Cr	creatinine
CrCl	creatinine clearance
CSF	cerebrospinal fluid
CV	cardiovascular
CVD	cardiovascular disease
CYP	cytochrome P450
CYP3A4	cytochrome P450 3A4
DAA	direct-acting antiviral
DHA	dihydroartemisinin
DILI	drug-induced liver injury
DMPA	depot medroxyprogesterone acetate

DOT	directly observed therapy
EBV	Epstein-Barr virus
EC	enteric coated
ECG	electrocardiogram
eGFR	estimated glomerular filtration rate
FDA	Food and Drug Administration
FDC	fixed-dose combination
Fe	iron
FI	fusion inhibitor
FUL	federal upper limit
GAHT	gender-affirming hormone therapy
GAZT	azidothymidine glucuronide
GHB	gamma-hydroxybutyrate
GI	gastrointestinal
HAD	HIV-associated dementia
HAV	hepatitis A virus
HBcAb	hepatitis B core antibody
HBeAg	hepatitis B e antigen
HBsAb	hepatitis B surface antibody
HBsAg	hepatitis B surface antigen
HBV	hepatitis B virus
HCO ₃	bicarbonate
HCV	hepatitis C virus
HD	hemodialysis
HDL	high-density lipoprotein
HIV	human immunodeficiency virus
HIV RNA	HIV viral load
HIV-1	human immunodeficiency virus type 1
HIV-2	human immunodeficiency virus type 2
HIVAN	HIV-associated nephropathy
HLA	human leukocyte antigen
HMG-CoA	hydroxy-methylglutaryl-coenzyme A
HRT	hormone replacement therapy
HSR	hypersensitivity reaction
HTLV-1	human T-lymphotropic virus-1
INR	international normalized ratio
INSTI	integrase strand transfer inhibitor
IRIS	immune reconstitution inflammatory syndrome
K	potassium

KS	Kaposi's sarcoma
LDL	low-density lipoprotein
LLOD	lower limits of detection
MAC	<i>Mycobacterium avium</i> complex
MAT	medication-assisted treatment
MATE	multidrug and toxin extrusion transporter
MDMA	methylenedioxymethamphetamine
Mg	magnesium
MI	myocardial infarction
MPA	medroxyprogesterone acetate
MRI	magnetic resonance imaging
msec	millisecond
MSM	men who have sex with men
MTR	multi-tablet regimen
Na	sodium
NNRTI	non-nucleoside reverse transcriptase inhibitor
NRTI	nucleoside/nucleotide reverse transcriptase inhibitor
OAT	opioid agonist therapy
OATP	organic anion-transporting polypeptide
OCT2	organic cation transporter 2
OH-itraconazole	active metabolite of itraconazole
OI	opportunistic infection
ONDCP	Office of National Drug Control Policy
OR	odds ratio
OTP	opioid treatment program
ODUD	opioid use disorder
PAH	pulmonary arterial hypertension
PCP	<i>Pneumocystis jirovecii</i> pneumonia
PCR	polymerase chain reaction
PDE5	phosphodiesterase type 5
PI	protease inhibitor
PI/c	cobicistat-boosted protease inhibitor
PI/r	ritonavir-boosted protease inhibitor
PK	pharmacokinetic
PO	orally
PPI	proton pump inhibitor
PR	protease
PrEP	pre-exposure prophylaxis
PTH	parathyroid hormone

q(n)d	every (n) days
q(n)h	every (n) hours
QTc	QT corrected for heart rate
RNA	ribonucleic acid
RR	relative risk
RT	reverse transcriptase
SAMHSA	Substance Abuse and Mental Health Services Administration
SCr	serum creatinine
SJS	Stevens-Johnson syndrome
SSRI	selective serotonin reuptake inhibitor
STI	sexually transmitted infection
STR	single-tablet regimen
SUD	substance use disorder
TB	tuberculosis
TCA	tricyclic antidepressant
TDM	therapeutic drug monitoring
TEN	toxic epidermal necrosis
TG	triglyceride
TID	three times a day
UGT	uridine diphosphate glucuronosyltransferase
VPA	valproic acid
WAC	wholesale acquisition cost
WHO	World Health Organization
XR	extended release
Zn	zinc